

# Laucks

## Testing Laboratories, Inc.

940 South Harney St., Seattle, Washington 98108 (206) 767-5060 FAX 767-5063



## Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Jim Brown

LABORATORY NO. 10158

DATE: June 10, 1988


PO# M6104

REPORT ON: WASTE DISCHARGE

### SAMPLE

IDENTIFICATION: Submitted 06/01/88 and identified as shown below

- 1) ID# 5-3-3200-M6104
- 2) ID# 5-5-3200-M6104
- 3) ID# 5-10-3200-M6104
- 4) ID# 5-17-3200-M6104
- 5) ID# 5-12-3200-M6104
- 6) ID# 5-19-3200-M6104
- 7) ID# 5-24-3200-M6104
- 8) ID# 5-26-3200-M6104



### TESTS PERFORMED AND RESULTS:

parts per million (mg/L)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>
Zinc	0.062	0.092	0.080	0.086	0.13
Chromium	0.40	0.64	0.64	0.67	0.78
Copper	0.34	0.47	0.25	0.56	0.50
Nickel	0.46	0.49	0.40	0.52	0.52

	<u>6</u>	<u>7</u>	<u>8</u>	Method Blank
Zinc	0.35	0.11	0.089	<0.002
Chromium	5.7	0.48	0.47	<0.005
Copper	1.3	0.35	0.46	<0.002
Nickel	2.6	0.37	0.32	<0.01



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015386

# Laucks

## Testing Laboratories, Inc.

940 South Harney St., Seattle, Washington 98108 (206)767-5060



## Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works  
P.O. Box 3546  
Seattle, WA 98124  
ATTN: Jim Brown

LABORATORY NO. 9632

DATE: May 10, 1988

PO# M5864

REPORT ON: LIQUID

### SAMPLE

IDENTIFICATION: Submitted 05/03/88 and identified as shown below:

ID# 3600-M5864

### TESTS PERFORMED AND RESULTS:

#### parts per million (mg/L)

Zinc -----	0.19
Chromium -----	0.20
Copper -----	0.037
Nickel -----	0.09

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015387